

TERRABASE GEOFABRIC

(AS-TB-T-80)

DESCRIPTION

TERRABASE GEOFABRIC is manufactured from high tenacity virgin polypropylene staple fibre which is mechanically drawn to form fibres with higher tensile properties and improved durability. It is highly permeable and prevents plants from growing through it.

SURFACE PREPARATION

The surface to be covered should be free of loose friable particles/leaves. Compacted Type I or Type III stones or a 30mm Limestone layer should be laid prior to application. Suitable edgings must be in place.

APPLICATION

Unroll the **TERRABASE GEOFABRIC** over the area, taking care of any overlapping edges. A minimum of 300mm overlap must be applied. Pins may be used to secure the fabric to the surface below.

TECHNICAL DATA

PRODUCT: Geo fabric THICKNESS: 2.4mm @ 2kPa

COLOUR: Black
WATER FLOW: 63 l/s/m²

 ϵ

1035-CPD-ES033858

Geotexan S.A

Tensile Strength (EN ISO 10319)

Elongation at break (EN ISO 10319)

CBR Puncture Resistance (EN ISO 12236

Durability

KN/m 23'00 (-13'0%)

% 57'91 +/- 6'65

KN/m 4'00 (-0'37)

Minimum Planned 100 years

DISPOSAL CONSIDERATIONS

Please consider the regional or national regulations regarding disposal.

HOW TO SPECIFY

TERRABASE GEOFABRIC is supplied by Addagrip Terraco Limited, Addagrip House, Bell Lane Industrial Estate, Uckfield, East Sussex TN22 1QL

It is to be used to............. (give details of project). Application of the product must be carried out in accordance with the manufacturer's instructions. Addagrip Terraco Limited products are sold subject to the company's Terms and Conditions of Sale, a copy of which is available on request. Whilst Addagrip endeavours to ensure that advice, specifications, recommendations and information given is correct, it cannot have control over how its products are applied and will not accept liability, directly or indirectly, arising from application of its materials. Any advice, recommendation or information given by Addagrip Terraco Limited is based on practical experience and is believed to be accurate at the time of publication; no liability or responsibility of any kind (including liability for negligence) is accepted in this respect by the company, its Servants, or Agents. The figures quoted do not constitute a specification. They represent typical values obtained for this product.

January 2017