

Ready Mixed, Surface Coatings, Texturing Compounds #3-0003

Compilation date: 29-01-2013 Revision No: 1

SECTION 1: IDENTIFICATION	ON OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY /UNDERTAKING	
1.1 Product Identifier - Code and Name:		
63410 – Sprayplaster FC		
1.2 Relevant identified uses	of the substance or mixture and uses advised against:	
Use of substance / mixture	PC9a: Coatings and paints, thinners, paint removers.	
1.3 Details of the supplier of	f the safety data sheet:	
Company name:	Addagrip House Bell Lane Industrial Estate Uckfield East Sussex TN22 1QL United Kingdom	
Telephone:	01825 761333	
Fax:	01825 768566	
E-mail:	sales@addagrip.co.uk	
1.4. Emergency telephone number;		
Emergency Tel:	0870 190 6777 24 hour number	

SECTION 2: HAZARDS IDENTIFICATION		
2.1. Classification of the substance or mixture		
Classification under CHIP:	ssification under CHIP: This product has no classification under CHIP.	
Classification under CLP:	This product has no classification under CLP.	
2.2. Label elements:		
Label elements under CHIP:		
Hazard symbols:	No significant hazard.	
2.3. Other hazards:		
PBT:	This substance is not identified as a PBT substance.	

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Hazardous ingredients:

CALCIUM CARBONATE

EINECS	CAS	CHIP Classification	CLP Classification	Percent
-	1317-65-3	Substance with a community workplace exposure limit.	-	50-70%



Ready Mixed, Surface Coatings, Texturing Compounds #3-0003

Compilation date: 29-01-2013 Revision No: 1

SECTION 4: FIRST AID MEASURES		
4.1. Description of first aid measures		
Skin contact:	Wash immediately with plenty of soap and water. Remove all contaminated clothes and footwear immediately unless stuck to skin.	
Eye contact:	Bathe the eye with running water for 15 minutes. If irritation persists consult a specialist.	
Ingestion:	Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Transfer to hospital as soon as possible.	
Inhalation:	If exposed to excess levels of dust remove to fresh air.	
4.2. Most important symptoms and effects, both acute and delayed		
Skin contact:	Prolonged exposure might desiccate the skin.	
Eye contact:	There may be irritation and redness.	
Ingestion:	Not applicable.	
Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest.	
4.3. Indication of any immediate medical attention and special treatment needed		
Immediate / special treatment:	Show this safety data sheet to the doctor in attendance.	

SECTION 5: FIRE-FIGHTING MEASURES		
5.1. Extinguishing media		
Extinguishing Media:	Alcohol resistant foam. Carbon dioxide. Dry chemical powder. Water spray.	
5.2. Special hazards arising from the substance or mixture		
Exposure hazards:	During a fire, acrylic monomers may be generated at elevated temperatures.	
5.3. Advice for fire-fighters		
Advice for fire-fighters:	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.	

SECTION 6: ACCIDENTA	L RELEASE MEASURES		
6.1. Personal precautions	6.1. Personal precautions, protective equipment and emergency procedures		
Personal precautions:	Refer to section 8 of SDS for personal protection details.		
6.2. Environmental preca	6.2. Environmental precautions		
Environmental precautions:	Do not discharge into drains or rivers. Contain the spillage using bunding.		
6.3. Methods and material for containment and cleaning up			
Clean-up procedures:	Absorb spills with inert material, allow to solidify and scrape up. Do not allow to enter drains or watercourses, clean preferably with a detergent. Do not use solvents.		
6.4. Reference to other sections			



Ready Mixed, Surface Coatings, Texturing Compounds #3-0003

Compilation date: 29-01-2013 Revision No: 1

SECTION 7: HANDLING AND STORAGE		
7.1. Precautions for safe handling		
Handling requirements:	Ensure there is sufficient ventilation of the area.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage conditions:	Store in cool, well ventilated area.	
Suitable packaging:	Must only be kept in original packaging.	
7.3. Specific end use(s)		
Specific end use(s):	Ready mixed quick drying filler for construction surfaces.	

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Hazardous ingredients:

CALCIUM CARBONATE

Workplace exposure limits:		Respirable dust		
State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
EU	-	-	4 mg/m3	-
8.2. Exposure controls	8.2. Exposure controls			
Engineering measures:	Ensure there is suffic	Ensure there is sufficient ventilation of the area.		
Respiratory protection:		Not normally required. If product is applied by spray use Self Contained Breathing Apparatus. In a confined space use Half Mask Respirator with organic vapour cartridge.		
Hand protection:	Protective gloves.	Protective gloves.		
Eye protection:	Safety goggles. Ens	Safety goggles. Ensure eye bath is to hand.		
Skin protection:	Protective clothing.	Protective clothing.		
Environmental:	No special requiren	No special requirement.		

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES		
9.1. Information on basic physical and chemical properties		
State:	Paste	
Colour:	Off-white	
Odour:	Slight acrylic odour	
Solubility in water:	Soluble	
Viscosity:	Viscous	
Boiling point/range °C:	100	
pH:	8-9	
Relative density:	1.70-1.85	
VOC g/l:	<20	
9.2. Other information		
Other information:	Not applicable.	



Ready Mixed, Surface Coatings, Texturing Compounds #3-0003

Compilation date: 29-01-2013 Revision No: 1

SECTION 10: STABILITY AND REACTIVITY		
10.1. Reactivity		
Reactivity:	Stable under recommended transport or storage conditions.	
10.2. Chemical stability		
Chemical stability:	Stable under normal conditions.	
10.3. Possibility of hazardous reactions		
Hazardous reactions:	Hazardous reactions will not occur under normal transport or storage conditions.	
10.4. Conditions to avoid		
Conditions to avoid:	Heat	
10.5. Incompatible materials		
Materials to avoid:	Oxidising agents. Strong acids. Strong bases.	
10.6. Hazardous decomposition products		
Haz. Decomp. Products:	May produce acrylic monomers and oxides of carbon on decomposition.	

SECTION 11: TOXICOLOGICAL INFORMATION		
11.1. Information on toxicological effects		
Toxicity values:	Not applicable.	
Symptoms and routes of exposure		
Skin contact:	Prolonged exposure might desiccate the skin.	
Eye contact:	There may be irritation and redness.	
Ingestion:	Not applicable.	
Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest.	

SECTION 12: ECOLOGICAL INFORMATION		
12.1. Toxicity		
Ecotoxicity values:	Not applicable.	
12.2. Persistence and degradability		
12.3. Bioaccumulative potential		
12.4. Mobility in soil		
12.5. Results of PBT and vPvB assessment		
PBT identification:	This substance is not identified as a PBT substance.	
12.6. Other adverse effects		

SECTION 13: DISPOSAL CONSIDERATIONS 13.1. Waste treatment methods Disposal operations: Refer to local authority regulations to ensure compliance. Recovery operatons: Not applicable. Disposal of packaging: Dispose of as normal industrial waste. NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

SECTION 14: TRANSPORT INFORMATION	
Transport class:	This product does not require a classification for transport.



Ready Mixed, Surface Coatings, Texturing Compounds #3-0003

Compilation date: 29-01-2013 Revision No: 1

SECTION 15: REGULATORY INFORMATION		
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture		
15.2. Chemical Safety Assessment		
Chemical safety	A chemical safety assessment has not been carried out for the substance or the	
assessment:	mixture by the supplier.	

SECTION 16: OTHER INFORMATION		
16.1.Other information		
Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010. * indicates text in the SDS which has changed since the last revision.	
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.	