

Ready Mixed, Surface Coatings, Texturing Compounds #3-0005

Compilation date: 29-01-2013 Revision No: 1

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY /UNDERTAKING			
1.1 Product Identifier - Code and Name:			
<b>68110 –</b> P Primer White <b>68110 –</b> P Primer Pigmented Pastel Base			
<b>68110 –</b> P Primer Pigmented	<b>68110 –</b> P Primer Pigmented Mid Base <b>68110 –</b> P Primer Pigmented Clear Base		
1.2 Relevant identified uses	of the substance or mixture a	and uses advised against:	
Use of substance / mixture	PC9a: Coatings and paints	, thinners, paint removers.	
1.3 Details of the supplier of the safety data sheet:			
Company name:	Addagrip House Bell Lane Industrial Estate Uckfield East Sussex TN22 1QL United Kingdom		
Telephone:	01825 761333		
Fax:	01825 768566		
E-mail:	sales@addagrip.co.uk		
1.4. Emergency telephone number;			
Emergency Tel:	0870 190 6777 24 hour num	ber	

SECTION 2: HAZARDS IDENTIFICATION		
2.1. Classification of the substance or mixture		
Classification under CHIP:	This product has no classification under CHIP.	
Classification under CLP:	This product has no classification under CLP.	
2.2. Label elements:		
Label elements under CHIP:		
Hazard symbols:	No significant hazard.	
2.3. Other hazards:		
PBT:	This substance is not identified as a PBT substance.	

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.2. Mixtures

#### Hazardous ingredients:

#### **CALCIUM CARBONATE**

EINECS	CAS	CHIP Classification	CLP Classification	Percent
-	1317-65-3	Substance with a community workplace exposure limit.	-	50-70%



Ready Mixed, Surface Coatings, Texturing Compounds #3-0005

Compilation date: 29-01-2013 Revision No: 1

SECTION 4: FIRST AID MEASURES		
4.1. Description of first aid measures		
Skin contact:	Wash immediately with plenty of soap and water. Remove all contaminated clothes and footwear immediately unless stuck to skin.	
Eye contact:	Bathe the eye with running water for 15 minutes. If irritation persists consult a specialist.	
Ingestion:	Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Transfer to hospital as soon as possible.	
Inhalation:	If exposed to excess levels of dust remove to fresh air.	
4.2. Most important symptoms and effects, both acute and delayed		
Skin contact:	Prolonged exposure might desiccate the skin.	
Eye contact:	There may be irritation and redness.	
Ingestion:	Not applicable.	
Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest.	
4.3. Indication of any immediate medical attention and special treatment needed		
Immediate / special treatment:	Show this safety data sheet to the doctor in attendance.	

SECTION 5: FIRE-FIGHTING MEASURES		
5.1. Extinguishing media		
Extinguishing Media:	Alcohol resistant foam. Carbon dioxide. Dry chemical powder. Water spray.	
5.2. Special hazards arising from the substance or mixture		
Exposure hazards:	During a fire, acrylic monomers may be generated at elevated temperatures.	
5.3. Advice for fire-fighters		
Advice for fire-fighters:	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.	

SECTION 6: ACCIDENTAL F	SECTION 6: ACCIDENTAL RELEASE MEASURES		
6.1. Personal precautions, p	rotective equipment and emergency procedures		
Personal precautions:	Refer to section 8 of SDS for personal protection details.		
6.2. Environmental precauti	ons		
Environmental precautions:	Do not discharge into drains or rivers. Contain the spillage using bunding.		
6.3. Methods and material for containment and cleaning up			
Absorb spills with inert material, allow to solidify and scrape up. Do not allow to enter drains or watercourses, clean preferably with a detergent. Do not use solvents.			
6.4. Reference to other sections			



Ready Mixed, Surface Coatings, Texturing Compounds #3-0005

Compilation date: 29-01-2013 Revision No: 1

SECTION 7: HANDLING AND STORAGE	
7.1. Precautions for safe handling	
Handling requirements:	Ensure there is sufficient ventilation of the area.
7.2. Conditions for safe storage, including any incompatibilities	
Storage conditions:	Store in cool, well ventilated area.
Suitable packaging:	Must only be kept in original packaging.
7.3. Specific end use(s)	
Specific end use(s):	Ready mixed quick drying filler for construction surfaces.

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

Hazardous ingredients:

#### **CALCIUM CARBONATE**

Workplace exposure limits:		Respirable dust		
State	8 hour TWA	8 hour TWA 15 min. STEL 8 hour TWA 15 min. STE		15 min. STEL
EU	-	-	4 mg/m3	-
8.2. Exposure controls				
Engineering measures:	Ensure there is suffic	Ensure there is sufficient ventilation of the area.		
Respiratory protection:		Not normally required. If product is applied by spray use Self Contained Breathing Apparatus. In a confined space use Half Mask Respirator with organic vapour cartridge.		
Hand protection:	Protective gloves.	Protective gloves.		
Eye protection:	Safety goggles. Ens	Safety goggles. Ensure eye bath is to hand.		
Skin protection:	Protective clothing.	Protective clothing.		
Environmental:	No special requiren	nent.		

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES	
9.1. Information on basic physical and chemical properties	
State:	Paste
Colour:	Off-white
Odour:	Slight acrylic odour
Solubility in water:	Soluble
Viscosity:	Viscous
Boiling point/range °C:	100
pH:	8-9
Relative density:	1.70-1.85
VOC g/l:	<20
9.2. Other information	
Other information:	Not applicable.



Ready Mixed, Surface Coatings, Texturing Compounds #3-0005

Compilation date: 29-01-2013 Revision No: 1

SECTION 10: STABILITY AND REACTIVITY		
10.1. Reactivity		
Reactivity:	Stable under recommended transport or storage conditions.	
10.2. Chemical stability		
Chemical stability:	Stable under normal conditions.	
10.3. Possibility of hazardous reactions		
Hazardous reactions:	Hazardous reactions will not occur under normal transport or storage conditions.	
10.4. Conditions to avoid		
Conditions to avoid:	Heat	
10.5. Incompatible materials		
Materials to avoid:	Oxidising agents. Strong acids. Strong bases.	
10.6. Hazardous decomposition products		
Haz. Decomp. Products:	May produce acrylic monomers and oxides of carbon on decomposition.	

SECTION 11: TOXICOLOGICAL INFORMATION		
11.1. Information on toxicol	ogical effects	
Toxicity values:	Not applicable.	
Symptoms and routes of exposure		
Skin contact:	Prolonged exposure might desiccate the skin.	
Eye contact:	There may be irritation and redness.	
Ingestion:	Not applicable.	
Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest.	

SECTION 12: ECOLOGICAL INFORMATION		
12.1. Toxicity		
Ecotoxicity values:	Not applicable.	
12.2. Persistence and degrad	dability	
12.3. Bioaccumulative potential		
12.4. Mobility in soil		
12.5. Results of PBT and vPvB assessment		
PBT identification:	This substance is not identified as a PBT substance.	
12.6. Other adverse effects		

# SECTION 13: DISPOSAL CONSIDERATIONS 13.1. Waste treatment methods Disposal operations: Refer to local authority regulations to ensure compliance. Recovery operatons: Not applicable. Disposal of packaging: Dispose of as normal industrial waste. NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

SECTION 14: TRANSPORT INFORMATION	
Transport class:	This product does not require a classification for transport.



Ready Mixed, Surface Coatings, Texturing Compounds #3-0005

Compilation date: 29-01-2013 Revision No: 1

SECTION 15: REGULATORY INFORMATION		
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture		
15.2. Chemical Safety Assessment		
Chemical safety	A chemical safety assessment has not been carried out for the substance or the	
assessment:	mixture by the supplier.	

SECTION 16: OTHER INFORMATION		
16.1.Other information		
Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.  * indicates text in the SDS which has changed since the last revision.	
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.	